

Collection

GATSBY

Article

GA299

Description

Monohole free-standing washbasin

Built-in body to be purchased separately INC399

Box Dimensions


1100x395x150 mm

Weight


15.6 kg

Finishes

- **CC**
CHROME
- **PL**
PLATINUM
- **SS**
BRUSHED
NICKEL
- **ON**
NATURAL
BRASS
- **BO**
MATT
WHITE
- **NP**
MATT
BLACK
- **CF**
BLACK
CHROME
- **CS**
BRUSHED
BLACK
CHROME
- **II**
PALE
GOLD
- **IS**
BRUSHED
PALE GOLD
- **RS**
ROSE
GOLD
- **SR**
BRUSHED
ROSE GOLD
- **OO**
GOLD
- **OS**
BRUSHED
GOLD
- **RR**
ANTIQUÉ
COPPER
- **MB**
MODERN
BRONZE



Dimensions



Cartridge

Ø25 ceramic cartridge

Hoses

Aerator

M16.5x1

Flow Rate (+/-10%)

| 1 BAR | 2 BAR | 3 BAR |
|---------|---------|---------|
| 5.5 l/m | 7.8 l/m | 9.6 l/m |

Production


Main body is a machined from a solid pieces

Material

BRASS
According to CuZn39Pb3 (CW614N)
Max Lead content: 2.5%



WE ARE IB



| Parts list | | | | |
|------------|--------------|---|-----|-----|
| ITEMS | CODE | DESCRIPTION | FIN | QTA |
| 1 | AC0017942-TI | Handle Ø42 H40 gatsby | F | 1 |
| 2 | AQ0009938 | Grubscrew M4x3 flat point | - | 1 |
| 3 | AQ0006650 | Plug cover Ø7 | F | 1 |
| 4 | CPMT299CC-19 | Preamsembled free-standing wash basin mixer | - | 1 |
| 4.1 | AC0012842 | Cartridge fixing nut chromed cover | F | 1 |
| 4.2 | AQ0006586 | OR 25.12x1.78 NBR 70 SH | - | 1 |
| 4.3 | AS0011353 | Cartridge fixing nut M30x1 H14.35 | G | 1 |
| 4.4 | AQ0010564 | OR 26.7x1.78 NBR 70 SH | - | 1 |
| 4.5 | AQ0016764 | Cartridge Ø25 open 9x9 (KH25OPS A4US) | - | 1 |
| 4.6 | AQ0010972 | OR 23x2 NBR 70 SH | - | 1 |
| 4.7 | AN0010810 | Connection piece Ø27X18 | N | 1 |
| 4.8 | AC0016623 | Tall mixing body Ø42 H235 CW511L | F | 1 |
| 4.9 | AQ0001350 | OR 11.11x1.78 NBR 70 SH | - | 1 |
| 4.10 | AS0010783 | Spout connection M16x1 M10x0.75 H15 | G | 1 |
| 4.11 | AQ0004610 | OR 12.42x1.78 NBR 70 SH | - | 1 |
| 4.12 | AC0010910 | Sink dispenser Ø18 L170 | F | 1 |
| 4.13 | AS0010829 | Aerator stopper M16.5x1 H4 | G | 1 |
| 4.14 | AQ0009836 | Perlator honeycomb with rubber (44.3030.0) | - | 1 |
| 4.15 | AN0010830 | Aerator cage M16.5x1 H6 | N | 1 |
| 4.16 | AN0010899 | Extension pipe M8x1 M10x1 H230 | N | 2 |
| 4.17 | AS0016044 | Insert M38x1.5 H31.3 | G | 1 |
| 4.18 | AQ0009549 | Grubscrew M6x6 cone point | - | 1 |
| 4.19 | AC0016040 | Pipe Ø42 H775 | F | 1 |
| 4.20 | AQ0010874 | OR 59.92x3.53 NBR 70 SH | - | 1 |
| 4.21 | AC0010907 | Ring for carter Ø70 H12 | F | 1 |
| 4.22 | AQ0011023 | Seeger ring A65 DIN471 | - | 1 |
| 4.23 | AQ0010873 | Chromed cover Ø146,6 H.15 | F | 1 |
| 4.24 | AC0016047 | Insert for pipe Ø60 M37x1 H37 | F | 1 |
| 4.25 | AQ0009151 | Grubscrew M6x8 flat point | - | 1 |
| 4.26 | AQ0001091 | Grubscrew M6x10 flat point | - | 1 |
| 4.27 | AS0015991 | Flange Ø144 Ø36.2 H6.5 | G | 1 |
| 4.28 | AS0013152 | Nut Ø50 M36X1F H6 CH.46 | G | 1 |
| 4.29 | AQ0001330 | OR 6.75x1.78 NBR 70 SH | - | 2 |
| 4.30 | AS0016038 | Pipe M10x1 L800 | G | 2 |
| 4.31 | AQ0012025 | OR 6.35x1.78 NBR 70 SH | - | 6 |
| 5 | AQ0015889 | Rubber packing double-sided Ø142 H2 | - | 1 |



WE ARE IB

WARRANTY

All IB Rubinetterie SpA products are warranted for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our warehouse. The warranty only cover surface defects (scatches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finished surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommended cleaning the finish surfaces with water and soap, using a soft cloth.

Do not use detergents that contain hydrochloric acid or abrasive substances.