

Collection

HERMES

Article

HR410

Description

Three holes wall mounted shower with two ways diverter

Box Dimensions

340x180x70 mm

Weight



2.6 kg

Finishes

- **CC**
CHROME
- **PL**
PLATINUM
- **SS**
BRUSHED
NICKEL
- **ON**
NATURAL
BRASS
- **BO**
MATT
WHITE
- **NP**
MATT
BLACK
- **CF**
BLACK
CHROME
- **CS**
BRUSHED
BLACK
CHROME
- **II**
PALE
GOLD
- **IS**
BRUSHED
PALE GOLD
- **RS**
ROSE
GOLD
- **SR**
BRUSHED
ROSE GOLD
- **OO**
GOLD
- **OS**
BRUSHED
GOLD
- **RR**
ANTIQUÉ
COPPER
- **BB**
ANTIQUÉ
BRONZE



Dimensions



Cartridge

IB G1/2" ceramics headworks

Threaded fitting

Treaded fitting G1/2" female

Aerator

-

Flow Rate (+/-10%)

1 BAR	2 BAR	3 BAR
12 l\m	15 l\m	19 l\m

Production

Main body is a single casted piece


Material

BRASS
According to CuZn35Pb2Al-B (CB752S)
Max Lead content:1.36%



WE ARE IB

Elenco parti			
ELEM.	CODICE	NUMERO DI MAGAZZINO	QTÀ
1	AQ0013551	Handle's plug hot	1
2	AQ0009069	Cover Ø20 PLS	3
3	AQ0009209	DIN 7985 (H) -vite inox M4x16-H	3
4	AQ0010229	Rondella inox Ø4	3
5	AC0003431	Pin for handle	12
6	AC0003095	Lever Ø31.5 M8x1 H42	3
7	AC0007131	Bell Ø58.5 W26x19 H44.5	3
8	AQ0002135	Ceramic headwork 90° left	1
9	AQ0003930	Ceramic headwork 90° right	1
10	AS0007025	Inserto per rubinetto arresto	2
11	AQ0001350	OR 11.11x1.78 NBR 70 SH	2
12	CT0002005	Rubinetto inc. arresto G1/2"	2
13	AQ0010279	Diverter 2 in - 2 out complete short	1
14	AS0009995	Bussola vitone W26x19 W22x19	1
15	AQ0013323	Neutral handle's plug	1
16	AQ0013552	Handle's plug cold	1





WE ARE IB

WARRANTY

All IB Rubinetterie SpA products are warranted for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our warehouse. The warranty only cover surface defects (scatches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finished surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommended cleaning the finish surfaces with water and soap, using a soft cloth.

Do not use detergents that contain hydrochloric acid or abrasive substances.