

Collection

REFLEX

Article

RX310

Description

Exposed parts for manual wall hydroprogressive two ways Built-in body to be purchased separately INC310

Box Dimensions Weight 150x190x98 mm 1 kg

Finishes CC

 \bigcirc BO

BLACK CHROME CHROME

NP

CF

BRUSHED PALE GOLD

•00

08 BRUSHED GOLD

MB

MODERN BRONZE

Ш

SS

BRUSHED NICKEL

BRUSHED BLACK CHROME ORR ANTIQUE COPPER

CS

RS ROSE GOLD

Dimensions

ON NATURAL BRASS ●SR BRUSHED ROSE GOLD OPL PLATINUM





175 6.89 in] 85 [3.35 in]

Cartridge

Aerator

Ø35 ceramic cartridge

Threaded fitting

Flow Rate (+/-10%)

1 BAR 10.8 I\min 2 BAR 15.6 I\min

3 BAR 19.1 I\min

Production

Main body is a machined from a solid pieces

Material

BRASS


According to CuZn39Pb3 (CW614N)

Max Lead content: 2.5%





Parts list			
ELEM.	CODE	DESCRIPTION	QTÀ
1	CPDEV2VCCXN_1	90 ° built-in 2-way diverter 48x48 z8x20	1
1.1	AQ0015686	Rubber Ø32 H4	1
1.2	AQ0008026	OR 33.05x1.78 NBR 70 SH	1
1.3	AS0013047	Insert 47x47x32	1
1.4	AQ0012206	Inox screw M3x10	1
1.5	AQ0017450	Cartridge dev. 2 outputs 90°	1
1.6	AQ0004610	OR 12.42x1.78 NBR 70 SH	1
1.7	AS0013048	Rod Ø17.9 H42.4	1
1.8	AQ0010597	OR 28.3x1.78 NBR 70 SH	1
1.9	AS0013050	Junction M32x1 M22x1 H23	1
1.10	AQ0015748	Seeger ring Ø14 H1	1
2	AC0013054	Ring Ø26 M22x1 F H33	1
3	AC0007092	Handle knob M8 H19	1
4	AC0011372	Diverter's knob Ø26 H20	1
5	AQ0001082	Grub screw M4x4 cone point	1
6	AQ0006650	Plug cover Ø7	1
7	CPRX300CCXN19	Mixer 47x47 x recessed	1
7.1	AQ0015684	Gasket Ø31 H3.5 Ø7 Ø7.5	1
7.2	AQ0015357	Grubscrew M3x10 flat point	1
7.3	AS0013040	Insert 47x47 H11 M37x1.5	1
7.4	AC0010445	Ring for recessed shower mixer	1
7.5	AQ0001040	Cartridge ring nut M37x1.5 H9	1
7.6	AQ0013271	Ceramic cartiridge KRJ 35A 9x9	1
8	AC0016645	Handle Ø43 H27 knurled	1
9	AQ0009938	Grubscrew M4x3 flat point	1
10	AQ0012203	Plug	1
11	AQ0012239	Rubber packing double-sided tape 145x75x8x1	1
12	AC0013101	Plate 175x85 x2 312-310	1





☑ f *P*



WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.

