

Collection

MONAMOUR

Article


SH006

Description

ABS Round showerhead

Box Dimensions Weight 230x210x90 mm 1 kg Finishes OPL OSS O NP MATT BLACK ● CC CHROME ON BO MATT WHITE OCS BRUSHED BLACK CHROME OCF BLACK CHROME OIS ORS ROSE PALE GOLD OSR BRUSHED ROSE GOLD OOO OS BRUSHED ORR ANTIQUE COPPER OBB ANTIQUE BRONZE





Cartridge -	Threaded fitting G1/2" F	
Aerator	Flow Rate (+/-10%) 1 BAR 2 BAR 3 BAR \lambda \text{I\m} \text{I\m} \text{I\m}	
Production		

ABS



T. +39 030 802101 F. +39 030 803097 info@weareib.it

P.IVA 01785230986 capitale sociale €420.000,00 i.v.


www.weareib.it







ELENCO PARTI				
ELE	CODICE	DESCRIZIONE	FIN	QT
1	AQ0013339	Soffione tondo Ø200		1
2	AQ0014583	Guarnizione G1/2" H4	-	1







WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.



□ f P