

Collection

YES PLEASE!

Article

YP206

Description

Wall mounted washbasin mixer complete with drain

Box Dimensions Weight 1.9 kg 265x260x70 mm Finishes CC OCF 000 \bigcirc BB OSS OCS

 \bigcirc BO

ORS

ROSE GOLD

CHROME

NP

OON

NATURAL BRASS

BLACK CHROME

OIS BRUSHED PALE GOLD

OSR

BRUSHED ROSE GOLD

 \circ os OII BRUSHED GOLD

ANTIQUE BRONZE


ORR ANTIQUE COPPER

BRUSHED NICKEL

BRUSHED BLACK CHROME

OPL PLATINUM





Cartridge

Ceramic cartridge Ø35

Hoses

G1/2" male

Perlator NP slim M24x1 1.5 GPM

Flow Rate (+/-10%)

1 BAR 4.5 I\min 2 BAR 5 I\min 3 BAR 5 I\min

Production

Main body is a single casted pieces

Material

BRASS


According to CuZn35Pb2AL-B (CB752S)

Max Lead content: 1.36%





Parts list			
ELEM.	CODE	DESCRIPTION	QTÀ
1	AC0013175	Plate 220x85x2	1
2	AQ0014142	Rubber packing double-sided tape 200x75x8x1	1
3	AQ0014030	Lever	1
4	AQ0001082	Grub screw M4x4 cone point	1
5	AQ0006650	Plug cover Ø7	1
6	AQ0003630	Cartridge ring nut cover M37x1.5	1
7	CPIN206CC-19	Mixer 47x47 x recessed	1
7.1	AQ0001040	Cartridge ring nut M37x1.5 H9	1
7.2	AQ0004095	Ceramic cartridge Ø35 9x9 (K35A)	1
7.3	AC0010445	Recessed ring Ø41 M37x1.5 H40.7	1
7.4	AS0013040	Insert 47x47 H11 M37x1.5	1
7.5	AQ0015357	Grubscrew M3x10 flat point	1
7.6	AQ0015684	Gasket Ø31 H3.5 Ø7 Ø7.5	1
8	CP2310CC-19	Together with the Taaac mouth	1
8.1	CC0002310	Spout Ø43 41.8 L205.5	1
8.2	AQ0015169	M4 X16 screws with hexagonal head	1
8.3	AQ0013390	Perlator NP slim M24x1 1.5 GPM (40.8356.01)	1
9	AQ0010435	Teflon ring Ø19,9 x 5	1
10	AQ0001360	OR 11.91x2.62 NBR 70 SH	2
11	AS0011745	Connection piece G1/2" M L42.5	1
12	AQ0004630	OR 17.16x1.78 NBR 70 SH	1







WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.

