

Collection

COLORE

Article

BB001

Description

WC cover plate with double water flush


Box Dimensions Weight
350x270x45 mm 3.2 kg


Finishes

■ BL GARDA BLUE

● GI FRANCIACORTA YELLOW







UP720 / sigma 8
UP320 / sigma 8

Aerator

Flow Rate (+/-10%)
1 BAR 2 BAR 3 BAR

Production

Material

BRASS


According to CuZn35Pb2Al-B (CB752S)

Max Lead content: 1.36%



☑ f *P*





| | | 5 . " . | |
|------------|-----------|--------------------------------|----|
| Parts list | | | |
| ELEM | CODE | DESCRIPTION | QT |
| 1 | AC0016066 | Outside plate | 1 |
| 2 | AQ0016061 | Gasket mousse Ø3 | 1 |
| | _1 | | |
| 3 | AQ0016069 | Stainless steel screw M4x12 | 2 |
| 4 | CPBB001C | Pre-assembled key plate | 1 |
| | C-1 | | |
| 4.1 | AC0016060 | Botton Ø33 | 2 |
| 4.2 | AQ0016057 | Spring Ø25 h 25 | 2 |
| 4.3 | AS0016056 | Insert Ø60 H19 M4F | 2 |
| 4.4 | AQ0016058 | Washer Ø33 x Ø4 sp.2 | 2 |
| 4.5 | AQ0010280 | Inox screw M4X8,5 | 2 |
| 4.6 | AQ0016059 | Plate for bottons | 1 |
| 4.7 | AQ0010381 | Inox screw M4 X 10 | 4 |
| 5 | AQ0010444 | Grubscrew M4x6 cone point | 2 |
| 6 | AQ0014629 | Inox screw M4x50 | 2 |
| 7 | AS0016062 | Insert M12 x 1.5 H17 | 2 |
| 8 | AQ0016063 | Bottom plate 205 x 125 sp.1.5 | 1 |
| 9 | AQ0016064 | Regulator insert M10 X 1.5 L32 | 2 |
| 10 | AS0016065 | Threaded insert M10 X 1.5 L120 | 2 |



9

10



WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.



