

Collection

BATLO'

Article

BI210

Description

Wall mounted washbasin mixer with ceiling spout complete with drain. Built in body to be purchased separately INC300

Box Dimensions

Weight

150x190x98 mm

Ø70x1700 mm

4.5 kg

Finishes

● CC CHROME

OPL PLATINUM

SS BRUSHED NICKEL

ON NATURAL BRASS

NP MATT BLACK

OCF BLACK CHROME

OCS BRUSHED BLACK CHROME

OII PALE GOLD

OIS BRUSHED PALE GOLD

ORS ROSE GOLD


OSR BRUSHED ROSE GOLD

OOO

OS BRUSHED GOLD

ORR ANTIQUE COPPER OBB ANTIQUE BRONZE

 \bigcirc MB MODERN BRONZE



Cartridge Threaded fitting G1/2" male Ceramic cartridge joystick Ø35 Aerator Flow Rate (+/-10%) 1 BAR 2 BAR 3 BAR M16.5x1 4.3 l\m 5.2 I\m 7 I\m

Production

Material

Main body is a single casted pieces

BRASS

According to CuZn42 (CW510L) Max Lead content: 0.2%

IB RUBINETTERIE s.p.a via dei Pianotti 3/5 25068 Sarezzo (BS) - Italy - T. +39 030 802101 F. +39 030 803097 info@weareib.it

P.IVA 01785230986 capitale sociale €420.000,00 i.v.


www.weareib.it







Parts list				
ITEMS	CODE	DESCRIPTION	FIN	QTÀ
1	AQ0014252	Ceiling wash basin mixer	F	1
2	CPIN206CC-49	Mixer 47x47	-	1
2.1	AQ0010964	Ceramic cartridge joystick Ø35 with rod M8	-	1
2.2	AQ0001410	OR 4.2x1.9 NBR 70 SH	-	1
2.3	AC0011486	Cartridge holder Ø41 H43.6 M37x1.5	F	1
2.4	AC0011487	Cartridge fixing nut M37x1.5 H22.5 Ø41.2	F	1
2.5	CP13040XXN_1	Inserto 47x47	-	1
2.5.1	AQ0015684	Gasket Ø31 H3.5 Ø7 Ø7.5	-	1
2.5.2	AS0013040	Insert 47x47 H11 M37x1.5	G	1
2.5.3	AQ0015357	Grubscrew M3x10 flat point	-	1
3	AQ0010962	Antifriction ring Ø29.5 Ø26.2 H1.9	-	1
4	AQ0010957	Lever Ø42 Ø16 H70 M8	F	1
5	AQ0015829	Rubber packing double-sided tape 75x75x8x1	-	1
6	AC0013100-TI	Plate 85X85 x2 300	F	1





☑ f *P*



WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.



□ f P