

Collection

# C-67

Article

## C6210

Description

#### Ceiling spout with wall mounted mixer

Built-in body to be purchased separately INC300.

**Box Dimensions** 150x190x98 mm 4.5 kg 1700 Ø70 mm

Finishes

● CC CHROME

 $\mathsf{O}_{\mathsf{PLATINUM}}^{\mathsf{PL}}$ 

SS BRUSHED NICKEL

ON NATURAL BRASS

BO

NP MATT BLACK

CF BLACK CHROME

CS BRUSHED BLACK CHROME

IS BRUSHED PALE GOLD

RS ROSE GOLD

SR BRUSHED ROSE GOLD


OO GOLD

Dimensions

OS BRUSHED GOLD

ORR ANTIQUE COPPER

MB



Cartridge

Aerator

M24x1

Ø35 ceramic cartridge

Threaded fitting G1/2" male

Flow Rate (+/-10%)

1 BAR 4.3 l\m 2 BAR 5.2 I\m 3 BAR 6.9 I\m

Production

Main body is a single hot stamped pieces

Material

**BRASS** 

According to CuZn42 (CW510L) Max Lead content: 0.2%

IB RUBINETTERIE s.p.a via dei Pianotti 3/5 25068 Sarezzo (BS) - Italy - T. +39 030 802101 F. +39 030 803097 info@weareib.it

P.IVA 01785230986 capitale sociale €420.000,00 i.v.

www.weareib.it








Parts list				
ITEMS	CODE	DESCRIPTION	FIN	QTÀ
1	AQ0014252	Ceiling wash basin mixer	F	1
2	CPIN206CC-19	Mixer 47x47 x recessed	-	1
2.1	AQ0015684	Gasket Ø31 H3.5 Ø7 Ø7.5	-	1
2.2	AQ0015357	Grubscrew M3x10 flat point	-	1
2.3	AS0013040	Insert 47x47 H11 M37x1.5	G	1
2.4	AQ0004095	Ceramic cartridge Ø35 9x9 (K35A)	-	1
2.5	AC0010445	Recessed ring Ø41 M37x1.5 H40.7	F	1
2.6	AQ0001040	Cartridge ring nut M37x1.5 H9	G	1
3	AQ0003630	Cartridge ring nut cover M37x1.5	F	1
4	AQ0010280	Inox screw M4X8,5	-	2
5	AC0018441	Handle Ø42 H30 9x9	F	1
6	AQ0018449_2	handle Ø25 25x85 H5	F	1
7	AQ0001082	Grubscrew M4x4 cone point	-	1
8	AQ0006650	Plug cover Ø7	F	1
9	AQ0015829	Rubber packing double-sided tape 75x75x8x1	-	1
10	AC0013100	Plate 85x85x2 300	F	1
11	AQ0009837	Simple rapid waste 1"1/4	F	1









T. +39 030 802101 F. +39 030 803097 info@weareib.it P.IVA 01785230986 capitale sociale €420.000,00 i.v.









#### **WARRANTY**

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

## The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

### Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.





**□** f P