

Collection

C-67

Article

C6310

Description

Exposed parts for manual wall mixer with two ways Built-in body to be purchased separately INC310

Box Dimensions 150x190x98 mm Weight

1.4 kg

Finishes

● CC CHROME















CS BRUSHED BLACK CHROME

PALE GOLD



IS BRUSHED PALE GOLD










ORR ANTIQUE COPPER







Cartridge

Aerator

Threaded fitting

Ø35 ceramic cartridge

Flow Rate (+/-10%)

1 BAR 9.2 l\m 2 BAR 12.8 I\m 3 BAR 16 I\m

Production

Material

Main body is a machined from a solid pieces

BRASS


According to CuZn39PB3 (CW614N)

Max Lead content: 2.5%





	Parts list		
CODE		EIN	ΟΤÀ
			1
	,	-	1
		-	1
		G	1
		-	1
		-	1
	·	-	1
		G	1
	15 5	<u>-</u>	1
AS0013050	Junction M32x1 M22x1 H23	G	1
AQ0015748	Seeger ring Ø14 H1	-	1
AC0013054	<u> </u>	F	1
AQ0010280	ŭ	-	3
AC0018600	Handle Ø42 H30 9x9	F	1
AQ0001082	Grubscrew M4x4 cone point	-	2
AQ0006650	Plug cover Ø7	F	2
AC0018601	handle Ø16 15x38 H5	F	1
CPIN206CC-19	Mixer 47x47 x recessed	-	1
AQ0015684	Gasket Ø31 H3.5 Ø7 Ø7.5	-	1
AQ0015357	Grubscrew M3x10 flat point	-	1
AS0013040	Insert 47x47 H11 M37x1.5	G	1
AQ0004095	Ceramic cartridge Ø35 9x9 (K35A)	-	1
AC0010445	Recessed ring Ø41 M37x1.5 H40.7	F	1
AQ0001040	Cartridge ring nut M37x1.5 H9	G	1
AQ0003630	Cartridge ring nut cover M37x1.5	F	1
AC0018441	Handle Ø42 H30 9x9	F	1
AQ0018449_2	handle Ø25 25x85 H5	F	1
AQ0012239	Rubber packing double-sided tape 145x75x8x1	-	1
AC0013101	Plate 175x85 x2 312-310	F	1
	AQ0015748 AC0013054 AQ0010280 AC0018600 AQ0001082 AQ0006650 AC0018601 CPIN206CC-19 AQ0015684 AQ0015357 AS0013040 AQ0004095 AC0010445 AQ0001040 AQ0003630 AC0018441 AQ0018449_2 AQ0012239	CPDEV2VXXXN_1 90 ° built-in 2-way diverter 48x48 z8x20 AQ0015686 Rubber Ø32 H4 AQ0008026 OR 33.05x1.78 NBR 70 SH AS0013047 Insert 47x47x32 AQ0012206 Inox screw M3x10 AQ0017450 Cartridge dev.2 outputs 90° AQ0004610 OR 12.42x1.78 NBR 70 SH AS0013048 Rod Ø17.9 H42.4 AQ0010597 OR 28.3x1.78 NBR 70 SH AS0013050 Junction M32x1 M22x1 H23 AQ0015748 Seeger ring Ø14 H1 AC0013054 Ring Ø26 M22x1 F H33 AQ0010280 Inox screw M4X8,5 AC0018600 Handle Ø42 H30 9x9 AQ0001082 Grubscrew M4x4 cone point AQ000650 Plug cover Ø7 AC0018601 handle Ø16 15x38 H5 CPIN206CC-19 Mixer 47x47 x recessed AQ0015357 Grubscrew M3x10 flat point AS0013040 Insert 47x47 H11 M37x1.5 AQ0004095 Ceramic cartridge Ø35 9x9 (K35A) AC0010445 Recessed ring Ø41 M37x1.5 H40.7 AQ0001040 Cartridge ring nut M37x1.5 H9 AQ00018449 2 handle Ø25 25x85 H5 AQ0012239 Rubber packing double-sided tape 145x75x8x1	CPDEV2VXXXN_1 90 ° built-in 2-way diverter 48x48 z8x20 G AQ0015686 Rubber Ø32 H4 - AQ0008026 OR 33.05x1.78 NBR 70 SH - AS0013047 Insert 47x47x32 G AQ0012206 Inox screw M3x10 - AQ0017450 Cartridge dev.2 outputs 90° - AQ0004610 OR 12.42x1.78 NBR 70 SH - AS0013048 Rod Ø17.9 H42.4 G AQ0010597 OR 28.3x1.78 NBR 70 SH - AS0013050 Junction M32x1 M22x1 H23 G AQ0015748 Seeger ring Ø14 H1 - AC0013054 Ring Ø26 M22x1 F H33 F AQ0010280 Inox screw M4X8,5 - AC0018600 Handle Ø42 H30 9x9 F AQ0001082 Grubscrew M4x4 cone point - AQ0001650 Plug cover Ø7 F AC0018601 handle Ø16 15x38 H5 F CPIN206CC-19 Mixer 47x47 x recessed - AQ0015684 Gasket Ø31 H3.5 Ø7 Ø7.5 - AQ0015357 Grubscrew M3x10 fla







WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.





□ f P