

Collection

C-67

Article

C6406

Description

Wall monted washbasin mixer complete with drain Built-in body to be purchased separately INC206+INC406

Box Dimensions

Weight

265x260x70 mm 1.3 kg

Finishes

● CC CHROME

 $\mathsf{O}_{\mathsf{PLATINUM}}^{\mathsf{PL}}$

SS BRUSHED NICKEL

ON NATURAL BRASS

BO

NP MATT BLACK

CF BLACK CHROME

BRUSHED BLACK CHROME

IS BRUSHED PALE GOLD RS ROSE GOLD

SR BRUSHED ROSE GOLD




OS BRUSHED GOLD

ORR ANTIQUE COPPER

● MB MODERN BRONZE





Cartridge

Ø35 ceramic cartridge

Threaded fitting

Aerator M24x1 Flow Rate (+/-10%)

1 BAR 3 l\m

2 BAR 3.8 l\m 3 BAR 3.8 I\m

Production

Main body is a single casted pieces

Material


BRASS

According to CuZn35Pb2Al-B (CB752S)

Max Lead content: 1.36%



		Parts list		
ITEMS	CODE	DESCRIPTION	FIN	QTÀ
1	AQ0018449_2	handle Ø25 25x85 H5	F	1
2	AC0018441	Handle Ø42 H30 9x9	F	1
3	AQ0001082	Grubscrew M4x4 cone point	-	1
4	AQ0006650	Plug cover Ø7	F	1
5	AQ0010280	Inox screw M4X8,5	-	2
6	AQ0003630	Cartridge ring nut cover M37x1.5	F	1
7	AC0017003	Ring Ø70 Ø41.5 H5 knurled	F	1
8	AQ0018597	Rubber packing double-sided tape Ø65xØ47x1	-	2
9	AQ0001440	OR 41x1.78 NBR 70 SH	-	1
10	CPIN206CC-19	Mixer 47x47 x recessed	-	1
10.1	AQ0001040	Cartridge ring nut M37x1.5 H9	G	1
10.2	AQ0004095	Ceramic cartridge Ø35 9x9 (K35A)	-	1
10.3	AC0010445	Recessed ring Ø41 M37x1.5 H40.7	F	1
10.4	AS0013040	Insert 47x47 H11 M37x1.5	G	1
10.5	AQ0015684	Gasket Ø31 H3.5 Ø7 Ø7.5	-	1
10.6	AQ0015357	Grubscrew M3x10 flat point	-	1
11	CP2026CCN_1	Pre-assembled mouth	F	1
11.1	CC0002026	Spout 45x23 L222	F	1
11.2	AQ0017343	Perlator slim M24x1 1 GPM (40.8358.01)	-	1
11.3	AQ0009729	Grubscrew M5x5 cone point	-	1
12	AC0018595-TI	Rosette Ø70 Ø15 H5	F	1
13	AQ0001350	OR 11.11x1.78 NBR 70 SH	-	2
14	AS0018594	Insert G1/2" Ø14.5 H73	G	1
15	AQ0004630	OR 17.16x1.78 NBR 70 SH	-	1
16	AQ0009837	Simple rapid waste 1"1/4	F	1







WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.





□ f P