

Collection

ELIO

Article

E0206_1

Description

Wall monted washbasin mixer.

Built-in body to be purchased separately INC206.

Box Dimensions 1.8 kg 340x180x70 mm

Finishes



















IS BRUSHED PALE GOLD

RS ROSE GOLD

SR
BRUSHED
ROSE GOLD






ORR ANTIQUE COPPER

MB MODERN BRONZE





Cartridge Threaded fitting G1/2" male Ø35 ceramic cartridge Aerator Flow Rate (+/-10%) 1 BAR 2 BAR 3 BAR M16.5x1 3 I\m 3.8 l\m 3.8 I\m

Production

Main body is a single casted piece

Material

BRASS


According to CuZn35Pb2Al-B (CB752S)

Max Lead content: 1.36%





| Parts list | | | |
|------------|-----------|-------------------------------------|-----|
| ELEM. | CODE | DESCRIPTION | QTÀ |
| 1 | AC0016836 | Plate 220x85x2 | 1 |
| 2 | AQ0014142 | Rubber packing double-sided tape | 1 |
| | | 200x75x8x1 | |
| 3 | AC0016801 | Handle 42x42 H21.5 plane | 1 |
| 4 | AQ0001081 | Grubscrew M4x6 flat point | 1 |
| 5 | AQ0012203 | Plug | 1 |
| 6 | AS0016807 | Ring Ø40 M30x1.5 F. | 1 |
| 7 | AC0016809 | Square ring 42x42 H44.2 | 1 |
| 8 | CP300CCX | Pre assemble mixer 47x47 x recessed | 1 |
| | N_19 | | |
| 8.1 | AS0016806 | Cartridge ring nut | 1 |
| 8.2 | AQ0013271 | Ceramic cartiridge KRJ 35A 9x9 | 1 |
| 8.3 | AS0016810 | Ring for recessed shower mixer | 1 |
| 8.4 | AS0013040 | Insert 47x47 H11 M37x1.5 | 1 |
| 8.5 | AQ0015357 | Grubscrew M3x10 flat point | 1 |
| 8.6 | AQ0015684 | Gasket Ø31 H3.5 Ø7 Ø7.5 | 1 |
| 9 | CPEO206C | Preassembled spout | 1 |
| | C-1 | | |
| 9.1 | AQ0014147 | Perlator PCA cachè laminar 1 GPM | 1 |
| | | (44.3358.010) | |
| 9.2 | AC0016837 | Spout 60° 18x18 L225.4 | 1 |
| 9.3 | AQ0010857 | OR 12.5x2 NBR 70 SH | 1 |
| 9.4 | AS0016999 | Spout insert Ø30 M20x1M M16x1M H29 | 1 |
| 9.5 | AQ0001400 | OR 20.35x1.78 NBR 70 SH | 2 |
| 10 | AS0016995 | Insert Ø30 G1/2" M H32 | 1 |
| 11 | AQ0004630 | OR 17.16x1.78 NBR 70 SH | 1 |







WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.



□ f P