

Collection

## **GATSBY**

Article

# **GA200**

Description

### Monohole washbasin mixer

**Box Dimensions** Weight 340x180x70 mm 1.6 kg

Finishes

● CC CHROME















IS BRUSHED PALE GOLD






OO GOLD



ORR ANTIQUE COPPER







Cartridge

Ø25 ceramic cartridge

Threaded fitting

Inox hoses G3\8" female 400 mms long

Aerator

Flow Rate (+/-10%)

M16.5x1

1 BAR 3 I\m

2 BAR 3.8 I\m 3 BAR 3.8 l\m

Production

Material

Main body is a machined from a solid pieces

**BRASS** 

According to CuZn42 (CW510L)

Max Lead content: 0.2%

IB RUBINETTERIE s.p.a via dei Pianotti 3/5 25068 Sarezzo (BS) - Italy - T. +39 030 802101 F. +39 030 803097 info@weareib.it

P.IVA 01785230986 capitale sociale €420.000,00 i.v.

www.weareib.it










Parts list				
ITEMS	CODE	DESCRIPTION	FIN	QTÀ
1	AC0017942-TI	Handle Ø42 H40 gatsby	F	1
2	AQ0013221	Grubscrew M4x3 cone point	-	1
3	AQ0006650	Plug cover Ø7	F	1
4	AC0012842	Cartridge fixing nut chromed cover	F	1
5	AQ0006586	OR 25.12x1.78 NBR 70 SH	-	1
6	CPMT200CC-15	Preassembled basin mixer	-	1
6.1	AS0011353	Cartridge fixing nut M30x1 H14.35	G	1
6.2	AQ0010564	OR 26.7x1.78 NBR 70 SH	-	1
6.3	AQ0016764	Cartridge Ø25 open 9x9 (KH25OPS A4US)	-	1
6.4	AN0010810	Connection piece Ø27X18	N	1
6.5	AQ0010972	OR 23x2 NBR 70 SH	-	1
6.6	AQ0014246	Mixer body Ø42 H129	F	1
6.7	AQ0014147	Perlator PCA cachè laminar 1 GPM (44.3358.010)	-	1
7	AC0010787	Base Ø5 H5	F	1
8	AQ0015676	Fixing set	-	1
9	AQ0011013	Flex inox M8x1 G3/8" L450	-	2
10	AQ0009837	Simple rapid waste 1"1/4	F	1









#### WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

## The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

### Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.





F f P