

Collection

HERMES ELLE

Article


HL410_2

Description

Three holes wall mounted shower with two ways diverter.

Box Dimensions Weight 340x180x70 mm 2.6 kg Finishes ● CC CHROME SS BRUSHED NICKEL ON NATURAL BRASS OBO MATT WHITE PL PLATINUM ONP MATT BLACK OCS BRUSHED BLACK CHROME OCF BLACK CHROME OIS BRUSHED PALE GOLD RS ROSE GOLD OSR BRUSHED ROSE GOLD





Cartridge Ceramic headwork	Threaded fitting G1/2" female		
Aerator	Flow Rate (+/-10%)		
-	1 BAR 12 l\m	2 BAR 15 l\m	3 BAR 19 l\m

Production

Main body is a single casted pieces.

Material

BRASS

According to CuZn40Pb3 (CW614N) Max Lead content: 2.5%










Parts list						
ITEMS	CODE	DESCRIPTION	FIN	QTÀ		
1	AQ0013551	Handle's plug hot	-	1		
2	AQ0009069	Cover Ø20 PLS	F	3		
3	AQ0010985	Inox screw M4x12	-	3		
4	AS0011840	Washer UNI 6592 M4	-	3		
5	AC0003397	Lever Ø31.5 H42	F	3		
6	AC0004500	Insert for handle	F	3		
7	AT0004520	Rod M8x1 L66	G	3		
8	AQ0004525	Grip handle	-	3		
9	AC0004510	Domed nut	F	3		
10	AC0007131	Bell Ø58.5 W26x19 H44.5	F	3		
11	AQ0010876	Carter Ø30	-	3		
12	AQ0002135	Ceramic headwork 90° left	-	1		
13	CT0002005	Built-in stopcocks G1/2"	G	2		
14	AQ0013461	Protecting cap thread Ø19	-	8		
15	AQ0013323	Neutral handle's plug	-	1		
16	AC0009191	Reduction 19x19 F 26x19 M H32	F	1		
17	AQ0010279	Diverter 2 in - 2 out complete short	G	1		
18	AQ0013552	Handle's plug cold	-	1		
19	AQ0003930	Ceramic headwork 90° right	-	1		







WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.





F f P