

Collection

INDUSTRIA

Article

ID200

Description

Monohole washbasin mixer

Box Dimensions Weight 340x180x70 mm 1.6 kg

Finishes

● CC CHROME

CF BLACK CHROME

 $\mathsf{O}_{\mathsf{PLATINUM}}^{\mathsf{PL}}$

BRUSHED NICKEL

ON NATURAL BRASS

OBO MATT WHITE

RS ROSE GOLD

NP MATT BLACK

SR
BRUSHED
ROSE GOLD

OO GOLD

OS BRUSHED GOLD


CS BRUSHED BLACK CHROME

ORR ANTIQUE COPPER

MB MODERN BRONZE

IS BRUSHED PALE GOLD





Cartridge

Ø25 ceramic cartridge

Threaded fitting

Inox hoses G3\8" female 400 mms long

Aerator

Flow Rate (+/-10%)

1 BAR 3 I\m

2 BAR 3.8 I\m 3 BAR 3.8 l\m

Production

M16.5x1

Main body is a machined from a solid pieces

Material

BRASS

According to CuZn42 (CW510L) Max Lead content: 0.2%

IB RUBINETTERIE s.p.a via dei Pianotti 3/5 25068 Sarezzo (BS) - Italy - T. +39 030 802101 F. +39 030 803097 info@weareib.it


P.IVA 01785230986 capitale sociale €420.000,00 i.v.

www.weareib.it














(7.6)

ITEMS CODE DESCRIPTION FIN QTA 1 AC0012840-TI Handle Ø42 H30 knurled F 1 2 AC0007091 Straight rod Ø8 L67 F 1 3 AQ0013221 Grubscrew M4x3 cone point - 1 4 AQ0006650 Plug cover Ø7 F 1 5 AC0012842 Cartridge fixing nut chromed cover F 1 6 AQ0006586 OR 25.12x1.78 NBR 70 SH - 1 7 CPMT200CC-15 Preassembled basin mixer - 1 7.1 AS0011353 Cartridge fixing nut M30x1 H14.35 G 1 7.2 AQ0010564 OR 26.7x1.78 NBR 70 SH - 1 7.3 AQ0016764 Cartridge Ø25 open 9x9 (KH250PS A4US) - 1 7.4 AN0010810 Connection piece Ø27X18 N 1 7.5 AQ0010972 OR 23x2 NBR 70 SH - 1 7.6 AQ0014246 Mixer body Ø42 H129 F 1 7.7	Parts list					
2 AC0007091 Straight rod Ø8 L67 F 1 3 AQ0013221 Grubscrew M4x3 cone point - 1 4 AQ0006650 Plug cover Ø7 F 1 5 AC0012842 Cartridge fixing nut chromed cover F 1 6 AQ0006586 OR 25.12x1.78 NBR 70 SH - 1 7 CPMT200CC-15 Preassembled basin mixer - 1 7.1 AS0011353 Cartridge fixing nut M30x1 H14.35 G 1 7.2 AQ0010564 OR 26.7x1.78 NBR 70 SH - 1 7.3 AQ0016764 Cartridge Ø25 open 9x9 (KH250PS A4US) - 1 7.4 AN0010810 Connection piece Ø27X18 N 1 7.5 AQ0010972 OR 23x2 NBR 70 SH - 1 7.6 AQ0014246 Mixer body Ø42 H129 F 1 7.7 AQ0014147 Perlator PCA cachè laminar 1 GPM (44.3358.010) - 1 8 AC0012841 Base Ø5 H5 knurled F 1 9 AQ0011013 Flex inox M8x1 G3/8" L450 -	ITEMS	CODE	DESCRIPTION	FIN	QTÀ	
3 AQ0013221 Grubscrew M4x3 cone point - 1 4 AQ0006650 Plug cover Ø7 F 1 5 AC0012842 Cartridge fixing nut chromed cover F 1 6 AQ0006586 OR 25.12x1.78 NBR 70 SH - 1 7 CPMT200CC-15 Preassembled basin mixer - 1 7.1 AS0011353 Cartridge fixing nut M30x1 H14.35 G 1 7.2 AQ0010564 OR 26.7x1.78 NBR 70 SH - 1 7.3 AQ0016764 Cartridge Ø25 open 9x9 (KH250PS A4US) - 1 7.4 AN0010810 Connection piece Ø27X18 N 1 7.5 AQ0010972 OR 23x2 NBR 70 SH - 1 7.6 AQ0014246 Mixer body Ø42 H129 F 1 7.7 AQ0014147 Perlator PCA cachè laminar 1 GPM (44.3358.010) - 1 8 AC0012841 Base Ø5 H5 knurled F 1 9 AQ0011013 Flex inox M8x1 G3/8" L450 - 2 10 AQ0015676 Fixing set	1	AC0012840-TI	Handle Ø42 H30 knurled	F	1	
4 AQ0006650 Plug cover Ø7 F 1 5 AC0012842 Cartridge fixing nut chromed cover F 1 6 AQ0006586 OR 25.12x1.78 NBR 70 SH - 1 7 CPMT200CC-15 Preassembled basin mixer - 1 7.1 AS0011353 Cartridge fixing nut M30x1 H14.35 G 1 7.2 AQ0010564 OR 26.7x1.78 NBR 70 SH - 1 7.3 AQ0016764 Cartridge Ø25 open 9x9 (KH250PS A4US) - 1 7.4 AN0010810 Connection piece Ø27X18 N 1 7.5 AQ0010972 OR 23x2 NBR 70 SH - 1 7.6 AQ0014246 Mixer body Ø42 H129 F 1 7.7 AQ0014147 Perlator PCA cachè laminar 1 GPM (44.3358.010) - 1 8 AC0012841 Base Ø5 H5 knurled F 1 9 AQ0011013 Flex inox M8x1 G3/8" L450 - 2 10 AQ0015676 Fixing set - 1	2	AC0007091	Straight rod Ø8 L67	F	1	
5 AC0012842 Cartridge fixing nut chromed cover F 1 6 AQ0006586 OR 25.12x1.78 NBR 70 SH - 1 7 CPMT200CC-15 Preassembled basin mixer - 1 7.1 AS0011353 Cartridge fixing nut M30x1 H14.35 G 1 7.2 AQ0010564 OR 26.7x1.78 NBR 70 SH - 1 7.3 AQ0016764 Cartridge Ø25 open 9x9 (KH250PS A4US) - 1 7.4 AN0010810 Connection piece Ø27X18 N 1 7.5 AQ0010972 OR 23x2 NBR 70 SH - 1 7.6 AQ0014246 Mixer body Ø42 H129 F 1 7.7 AQ0014147 Perlator PCA cachè laminar 1 GPM (44.3358.010) - 1 8 AC0012841 Base Ø5 H5 knurled F 1 9 AQ0011013 Flex inox M8x1 G3/8" L450 - 2 10 AQ0015676 Fixing set - 1	3	AQ0013221	Grubscrew M4x3 cone point	-	1	
6 AQ0006586 OR 25.12x1.78 NBR 70 SH - 1 7 CPMT200CC-15 Preassembled basin mixer - 1 7.1 AS0011353 Cartridge fixing nut M30x1 H14.35 G 1 7.2 AQ0010564 OR 26.7x1.78 NBR 70 SH - 1 7.3 AQ0016764 Cartridge Ø25 open 9x9 (KH250PS A4US) - 1 7.4 AN0010810 Connection piece Ø27X18 N 1 7.5 AQ0010972 OR 23x2 NBR 70 SH - 1 7.6 AQ0014246 Mixer body Ø42 H129 F 1 7.7 AQ0014147 Perlator PCA cachè laminar 1 GPM (44.3358.010) - 1 8 AC0012841 Base Ø5 H5 knurled F 1 9 AQ0011013 Flex inox M8x1 G3/8" L450 - 2 10 AQ0015676 Fixing set - 1	4	AQ0006650	Plug cover Ø7	F	1	
7 CPMT200CC-15 Preassembled basin mixer - 1 7.1 AS0011353 Cartridge fixing nut M30x1 H14.35 G 1 7.2 AQ0010564 OR 26.7x1.78 NBR 70 SH - 1 7.3 AQ0016764 Cartridge Ø25 open 9x9 (KH25OPS A4US) - 1 7.4 AN0010810 Connection piece Ø27X18 N 1 7.5 AQ0010972 OR 23x2 NBR 70 SH - 1 7.6 AQ0014246 Mixer body Ø42 H129 F 1 7.7 AQ0014147 Perlator PCA cachè laminar 1 GPM (44.3358.010) - 1 8 AC0012841 Base Ø5 H5 knurled F 1 9 AQ0011013 Flex inox M8x1 G3/8" L450 - 2 10 AQ0015676 Fixing set - 1	5	AC0012842	Cartridge fixing nut chromed cover	F	1	
7.1 AS0011353 Cartridge fixing nut M30x1 H14.35 G 1 7.2 AQ0010564 OR 26.7x1.78 NBR 70 SH - 1 7.3 AQ0016764 Cartridge Ø25 open 9x9 (KH25OPS A4US) - 1 7.4 AN0010810 Connection piece Ø27X18 N 1 7.5 AQ0010972 OR 23x2 NBR 70 SH - 1 7.6 AQ0014246 Mixer body Ø42 H129 F 1 7.7 AQ0014147 Perlator PCA cachè laminar 1 GPM (44.3358.010) - 1 8 AC0012841 Base Ø5 H5 knurled F 1 9 AQ0011013 Flex inox M8x1 G3/8" L450 - 2 10 AQ0015676 Fixing set - 1	6	AQ0006586	OR 25.12x1.78 NBR 70 SH	-	1	
7.2 AQ0010564 OR 26.7x1.78 NBR 70 SH - 1 7.3 AQ0016764 Cartridge Ø25 open 9x9 (KH25OPS A4US) - 1 7.4 AN0010810 Connection piece Ø27X18 N 1 7.5 AQ0010972 OR 23x2 NBR 70 SH - 1 7.6 AQ0014246 Mixer body Ø42 H129 F 1 7.7 AQ0014147 Perlator PCA cachè laminar 1 GPM (44.3358.010) - 1 8 AC0012841 Base Ø5 H5 knurled F 1 9 AQ0011013 Flex inox M8x1 G3/8" L450 - 2 10 AQ0015676 Fixing set - 1	7	CPMT200CC-15	Preassembled basin mixer	-	1	
7.3 AQ0016764 Cartridge Ø25 open 9x9 (KH25OPS A4US) - 1 7.4 AN0010810 Connection piece Ø27X18 N 1 7.5 AQ0010972 OR 23x2 NBR 70 SH - 1 7.6 AQ0014246 Mixer body Ø42 H129 F 1 7.7 AQ0014147 Perlator PCA cachè laminar 1 GPM (44.3358.010) - 1 8 AC0012841 Base Ø5 H5 knurled F 1 9 AQ0011013 Flex inox M8x1 G3/8" L450 - 2 10 AQ0015676 Fixing set - 1	7.1	AS0011353	Cartridge fixing nut M30x1 H14.35	G	1	
7.4 AN0010810 Connection piece Ø27X18 N 1 7.5 AQ0010972 OR 23x2 NBR 70 SH - 1 7.6 AQ0014246 Mixer body Ø42 H129 F 1 7.7 AQ0014147 Perlator PCA cachè laminar 1 GPM (44.3358.010) - 1 8 AC0012841 Base Ø5 H5 knurled F 1 9 AQ0011013 Flex inox M8x1 G3/8" L450 - 2 10 AQ0015676 Fixing set - 1	7.2	AQ0010564	OR 26.7x1.78 NBR 70 SH	-	1	
7.5 AQ0010972 OR 23x2 NBR 70 SH - 1 7.6 AQ0014246 Mixer body Ø42 H129 F 1 7.7 AQ0014147 Perlator PCA cachè laminar 1 GPM (44.3358.010) - 1 8 AC0012841 Base Ø5 H5 knurled F 1 9 AQ0011013 Flex inox M8x1 G3/8" L450 - 2 10 AQ0015676 Fixing set - 1	7.3	AQ0016764	Cartridge Ø25 open 9x9 (KH25OPS A4US)	-	1	
7.6 AQ0014246 Mixer body Ø42 H129 F 1 7.7 AQ0014147 Perlator PCA cachè laminar 1 GPM (44.3358.010) - 1 8 AC0012841 Base Ø5 H5 knurled F 1 9 AQ0011013 Flex inox M8x1 G3/8" L450 - 2 10 AQ0015676 Fixing set - 1	7.4	AN0010810	Connection piece Ø27X18	N	1	
7.7 AQ0014147 Perlator PCA cachè laminar 1 GPM (44.3358.010) - 1 8 AC0012841 Base Ø5 H5 knurled F 1 9 AQ0011013 Flex inox M8x1 G3/8" L450 - 2 10 AQ0015676 Fixing set - 1	7.5	AQ0010972	OR 23x2 NBR 70 SH	-	1	
8 AC0012841 Base Ø5 H5 knurled F 1 9 AQ0011013 Flex inox M8x1 G3/8" L450 - 2 10 AQ0015676 Fixing set - 1	7.6	AQ0014246	Mixer body Ø42 H129	F	1	
9 AQ0011013 Flex inox M8x1 G3/8" L450 - 2 10 AQ0015676 Fixing set - 1	7.7	AQ0014147	Perlator PCA cachè laminar 1 GPM (44.3358.010)	-	1	
10 AQ0015676 Fixing set - 1	8	AC0012841	Base Ø5 H5 knurled	F	1	
3	9	AQ0011013	Flex inox M8x1 G3/8" L450	-	2	
11 AQ0009837 Simple rapid waste 1"1/4 F 1	10	AQ0015676	Fixing set	-	1	
	11	AQ0009837	Simple rapid waste 1"1/4	F	1	







WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.





F f P