

Collection

## **K2**

Article


# K2220

Description

#### Monohole bidet mixer

**Box Dimensions** Weight 340x180x70 mm 1.7 kg Finishes CC OCF MB SS OCS •00 BRUSHED BLACK CHROME BLACK CHROME MODERN BRONZE BRUSHED NICKEL CHROME GOLD OOS  $\bigcirc$  BO NP ) II ORR BRUSHED PALE GOLD BRUSHED GOLD ANTIQUE COPPER OPL RS OON OSR BRUSHED ROSE GOLD ROSE GOLD NATURAL BRASS PLATINUM





Cartridge

Ø25 ceramic cartridge

Hoses

Inox hoses G3\8" female 450 mms long

Aerator

M16x1

Flow Rate (+/-10%)

1 BAR 2 BAR 3.5 l\min 4.9 l\min

3 BAR 5.4 l\min

Production

Main body is a single casted pieces

Material

BRASS

According to CuZn35Pb2AL-B (CB752S)

Max Lead content: 1.36%







Parts list				
ITEMS	CODE	DESCRIPTION	FIN	QTÀ
1	AQ0013995	Handle L110.5 H15.9 9°		1
2	AQ0001100	Grubscrew M5x5 flat point	-	1
3	CPK2220CC-1	Preassembled bidet KH-02		1
3.1	AC0011883	Cartridge fixing nut Ø32,8 H.14.15	F	1
3.2	AQ0010564	OR 26.7x1.78 NBR 70 SH	-	1
3.3	AQ0016765	Cartridge Ø25 open Ø (KH25OP A4UI)	-	1
3.4	AQ0010972	OR 23x2 NBR 70 SH	-	1
3.5	AN0010810	Connection piece Ø27X18	N	1
3.6	AQ0013991	Mixer body bidet Ø37 H122 L108		1
3.7	AQ0013500	Articulated joint for bidet M16x1	F	1
3.8	AQ0013575	Aerator M16x1 1.5 GPM (AMF 1052523)	F	1
3.9	AQ0010965	OR 20x1.5 NBR 70 SH	-	1
3.10	AC0011876	Base Ø45 H9	F	1
3.11	AQ0011013	Flex inox M8x1 G3/8" L450	-	2
4	AQ0010505	Fixing set	-	1
5	AQ0009837	Simple rapid waste 1"1/4	F	1





#### WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

## The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

### Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.

