

Collection

### KUSASI

Article

## **KU210**

Description

Ceiling spout with wall mounted mixer.

Built-in body to be purchased separately INC300

**Box Dimensions** 150x190x98 4.5 kg Ø70 x 1700

Finishes

● CC CHROME

OPL OSS

OII PALE GOLD

OIS ORS ROSE GOLD

ON NATURAL BRASS

OSR BRUSHED ROSE GOLD

ONP MATT BLACK

OOO

Dimensions

OCF BLACK CHROME


OS BRUSHED GOLD

OCS BRUSHED BLACK CHROME

ORR ANTIQUE COPPER

 $\bigcirc$  MB MODERN BRONZE

MAX 60 [2.36 in] MIN 45 [1.77 in]



Cartridge Threaded fitting G1/2" male Ø35 ceramic cartridge Aerator Flow Rate (+/-10%) 1 BAR 2 BAR 3 BAR M18.5x1 4.3 l\m 5.2 I\m 7 I\m

Production

Main body is a machined from a solid pieces

Material

**BRASS** 

According to CuZn42 (CW510L) Max Lead content: 0.2%



T. +39 030 802101 F. +39 030 803097 info@weareib.it

P.IVA 01785230986 capitale sociale €420.000,00 i.v.


www.weareib.it







Parts list			
ELEM.	CODE	DESCRIPTION	QTÀ
1	AQ0014252	Ceiling wash basin mixer	1
2	CPIN206CC-19	Mixer 47x47 x recessed	1
2.1	AQ0015684	Gasket Ø31 H3.5 Ø7 Ø7.5	1
2.2	AQ0015357	Grubscrew M3x10 flat point	1
2.3	AS0013040	Insert 47x47 H11 M37x1.5	1
2.4	AQ0004095	Ceramic cartridge Ø35 9x9 (K35A)	1
2.5	AC0010445	Ring for recessed shower mixer	1
2.6	AQ0001040	Cartridge ring nut M37x1.5 H9	1
3	AQ0003630	Cartridge ring nut cover M37x1.5	1
4	AQ0009475	Kusasi zamak lever Ø45 L125	1
5	AQ0009541	Grubscrew M5x4 flat point	1
6	AQ0006650	Plug cover Ø7	1
7	AQ0015829	Rubber packing double-sided tape 75x75x8x1	1
8	AC0013100	Plate 85X85 x2 300	1







#### WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

# The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

### Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.



**□** f P