

Collection

LOVEME

Article

LM206

Description

Wall mounted wahbasin mixer

Built-in body to be purchased separately INC206

Box Dimensions Weight 1.9 kg 275x270x70 mm

Finishes













 \bigcirc BO



OIS BRUSHED PALE GOLD \circ os BRUSHED GOLD

OII

ORR ANTIQUE COPPER


ORS ROSE GOLD

OON NATURAL BRASS

OSR BRUSHED ROSE GOLD

OPL PLATINUM





Aerator

Cartridge

Ø35 ceramic cartridge

Flow Rate (+/-10%)

Threaded fitting

1 BAR 7.5 I\min 2 BAR 8 I\min 3 BAR 8 I\min

Production

Main body is a single casted pieces

Material

BRASS

According to CuZn35Pb2AL-B (CB752S)


Max Lead content: 1.36%

Treaded fitting G1/2" female





Parts list				
ITEMS	CODE	DESCRIPTION	FIN	QTÀ
1	AQ0010445	Flow reduction valve 8 LT Ø14 (31.4186.00001)	-	1
2	AQ0004630	OR 17.16x1.78 NBR 70 SH	-	1
3	AS0011745	Connection piece G1/2" M L42.5	G	1
4	AQ0010435	Teflon ring Ø19,9 x 5	-	1
5	AQ0001360	OR 11.91x2.62 NBR 70 SH	-	2
6	AQ0010444	Grubscrew M4x6 cone point	-	1
7	CP1680CC-1	Preassembled receesed mouth	F	1
7.1	AQ0010284	St.Steel screw M5x30	-	2
7.2	CC0001810	Plug for waterfall spout-out 49.9x45 H29.5	F	1
7.3	CC0001680	Water fall spout-out 60x37x160	F	1
8	CPIN206CC-59	Preasselbmed cartridge mixer joystick	-	1
8.1	AQ0015684	Gasket Ø31 H3.5 Ø7 Ø7.5	-	1
8.2	AQ0015357	Grubscrew M3x10 flat point	-	1
8.3	AS0013040	Insert 47x47 H11 M37x1.5	G	1
8.4	AC0010580	Cartridge seat ring for built-in washbasin	F	1
8.5	AQ0001082	Grubscrew M4x4 cone point	-	1
8.6	AQ0010069	Ceramic cartridge joystick Ø35 8z20	-	1
8.7	AQ0001040	Cartridge ring nut M37x1.5 H9	G	1
8.8	AQ0010014	Antifriction ring for sphere H.2,5	G	1
8.9	AC0010230	Rod for lever	F	1
8.10	AQ0010077	OR 9x1.5 NBR 70 SH	-	1
8.11	AC0009974	Cover cartridge sphere	F	1
8.12	AC0009973	Cover nut for sphere Ø38,16 H10	F	1
9	AQ0014142	Rubber packing double-sided tape 200x75x8x1	-	1
10	AC0013127	Plate 220x85x2	F	1
11	AQ0015841	St. steel screw M5x12	-	4







WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.

