

Collection

Rubacuori

Article


RU800

Description

Rubacuori shower column thermostatic

Box Dimensions Weight 1185x415x277 mm 4 Kg Finishes OCF CC \bigcirc BG ONG OSS OCS BRUSHED BLACK CHROME GLOSSY WHITE GLOSSY BLACK BRUSHED NICKEL CHROME \bigcirc BO ONP 000 \bigcirc BB OII ORR ANTIQUE BRONZE ANTIQUE COPPER OHH **ORS** OON OIS BRUSHED PALE GOLD ROSE GOLD NATURAL BRASS PVD CHOCOLATE





Cartridge

IB Termostatic Ceramics Cartridge

Treaded fitting G1/2" male

Flow Rate (+/-10%)

1 BAR 2 BAR 3 BAR 8 I\min 12 I\min 14.5 I\min

Production

Main body is a single casted pieces

Material


BRASS

According to CuZn39Pb3 (CW614N) Max Lead content:2.5%





Parts list				
ITEMS	CODE	DESCRIPTION	FIN	QTÀ
1	AQ0014496	Square shower column with termostatic	-	1
2	AQ0018056	Flex snapon G1/2" F L150cm Silver	F	1
3	AQ0013639	Square hand shower OnAir	F	1
4	AQ0014583	Rubber packing G1/2" H4	-	1
5	AQ0010130	Square shower head 200x200	F	1







WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned

in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.

