



IB RUBINETTI

Collection

SUPERBOX

Article

SB306

Description

Wall mounted widespread lavatory faucet



Box Dimensions

265 x 260 x 70 mm



Weight

1.9 kg

Finishes

- **CC**
CHROME
- **CF**
BLACK CHROME
- **OO**
GOLD
- **BB**
ANTIQUE BRONZE
- **SS**
BRUSHED NICKEL
- **CS**
BRUSHED BLACK CHROME
- **BO**
MATT WHITE
- **NP**
MATT BLACK
- **IS**
BRUSHED PALE GOLD
- **OS**
BRUSHED GOLD
- **II**
PALE GOLD
- **RR**
ANTIQUE COPPER
- **ORS**
ROSE GOLD
- **ON**
NATURAL BRASS
- **SR**
BRUSHED ROSE GOLD
- **PL**
PLATINUM

Dimensions



Cartridge

G3/4" ceramic headwork

Threaded fitting

G1/2" male

Aerator

Flow Rate (+/-10%)

1 BAR
10 l/min

2 BAR
10.5 l/min

3 BAR
11 l/min

Production

Main body is a single casted pieces


Material

BRASS
According to CuZn35Pb2Al-B (CB752S)
Max Lead content: 1.36%





IB RUBINETTI



Elenco parti			
ELEM	CODICE	NUMERO DI MAGAZZINO	QT
1	CC0002190	Rectangular handle 40x14x20	2
2	AQ0012090	Grubscrew M3x3 cone point	2
3	AQ0012089	Teflon ring Ø11.95x10.1 H4.25	2
4	CP11104CC-1	Preassembled washbasin spout L185	1
4.1	AC0011104	Complete welded spout	1
4.2	AQ0010869	Grubscrew M5x8 cone point	2
5	AC0011107	Plate 230x80x3	1
6	AQ0012091	Rubber packing double-sided tape 220x70x8 H1	1
7	CP12053-6	Insert for spout-out with valve 12 lt	1
7.1	AQ0001360	OR 11.91x2.62 NBR 70 SH	1
7.2	AQ0010435	Teflon ring Ø19,9 x 5	1
7.3	AS0012053	Washbasin spout's insert	1
7.4	AQ0010320	Flow reduction valve Ø14 12LT (31.4194.0)	1
7.5	AQ0009678	Elastic ring AISI 302	1
7.6	AQ0004630	OR 17.16x1.78 NBR 70 SH	1
8	CC0002191	Rectangular bell 40x14x42	2
9	AQ0009498	Inox plug Ø2x10	4
10	CPKSB206	Preassembled widespread lavatory faucet CCX02	1
10.1	AQ0010172	Ceramic headwork 3/4" 8x40	2
10.2	CC0001633	Washbasin body G1/2"	1
10.3	AQ0004630	OR 17.16x1.78 NBR 70 SH	2
10.4	AS0010301	Reduction G1/2" M G1/2" M with valve seat	2
11	AQ0013461	Protecting cap thread Ø19	2
12	AQ0009362	Inox plate 280x150	1
13	AQ0009429	Inox screw M5x8	3



WARRANTY

All IB Rubinetterie SpA products are warranted for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our warehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finished surfaces due to use of cleaning products containing acids or abrasive substances.

Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommended cleaning the finish surfaces with water and soap, using a soft cloth.

Do not use detergents that cointain hydrochloric acid or abrasive substances.