

Collection

BODY JET

Article

SH033

Description

Square built-in body - jet

Box Dimensions Weight 150x190x98 mm 0.8 kg

Finishes

● CC CHROME

OPL DESTINUM OSS BRUSHED NICKEL

ON BO MATT WHITE

O NP MATT BLACK

OCF BLACK CHROME

OCS BRUSHED BLACK CHROME

OSR BRUSHED ROSE GOLD

OOO


OS BRUSHED ORR ANTIQUE COPPER


OBB ANTIQUE BRONZE

OIS ORS ROSE PALE GOLD



Dimensions





Cartridge

Threaded fitting

Aerator

Flow Rate (+/-10%)

1 BAR 3.2 l\m 2 BAR 3.8 l\m 3 BAR 4.3 I\m

Production

Material

BRASS

According to CuZn39PB3 (CW614N)

Max Lead content: 2.5%

IB RUBINETTERIE s.p.a via dei Pianotti 3/5 25068 Sarezzo (BS) - Italy - T. +39 030 802101 F. +39 030 803097 info@weareib.it

P.IVA 01785230986 capitale sociale €420.000,00 i.v.


www.weareib.it







Parts list				
ITEMS	CODE	DESCRIPTION	FIN	QTÀ
1	AQ0013795	BodyJet square	-	1
1.1	AQ0013795_1	Cover plate 125x125x9.5	F	1
1.2	AQ0013795_17	Biadhesive gasket for lid	-	1
1.3	AQ0013795_16	Round lid Ø82	F	1
1.4	AQ0013795_13	Body-Jet anti-limescale rubber	-	1
1.5	AQ0013795_14	Body-Jet anti-limescale rubber pusher	-	1
1.6	AQ0013795_15	OR 18.77x1.78 NBR 70 SH	-	1
1.7	AQ0013795_2	Self-tapping screw Ø40 L50	-	4
1.8	AQ0013795_3	External Body-Jet Ø125	-	1
1.9	AQ0013795_4	OR 9.92x2.62 NBR 70 SH	-	2
1.10	AQ0013795_5	Connection G1/2" M Ø14.5 L46	-	1
1.11	AQ0013795_6	Flow reduction valvle 4L/min	-	1
1.12	AQ0013795_7	OR 11.11x1.78 NBR 70 SH	-	1
1.13	AQ0013795_8	Cover 100x100x14.5	-	1
1.14	AQ0013795_9	Plug G1/2" H16.5	-	1
1.15	AQ0013795_10	Insert G1/2" M G1/4" F	-	1
1.16	AQ0013795_11	Plate Ø60 Ø21 H2.5	-	1
1.17	AQ0013795_12	Carter 120x120x79	-	1







WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.



□ f P