

Collection

SOLFERINO

Article


S0002

Description

Soap dispenser holder

Box Dimensions Weight 170x60x80 mm 0.6 kg Finishes CF CC •00 MB SS CS BRUSHED BLACK CHROME BLACK CHROME MODERN BRONZE BRUSHED NICKEL CHROME GOLD 08 BO NP) II ORR BRUSHED PALE GOLD BRUSHED GOLD ANTIQUE COPPER RS ON OPL **O**SR BRUSHED ROSE GOLD ROSE GOLD NATURAL BRASS PLATINUM





Aerator Flow Rate (+/-10%)

1 BAR 2 BAR 3 BAR


Production Material

Materiai




७ f 𝒫





| Douts list | | | | |
|------------|--------------|----------------------------------|-----|-----|
| | | Parts list | | |
| ITEMS | CODE | DESCRIPTION | FIN | QTÀ |
| 1 | AQ0015654_1 | Pin Ø6 L50.5 | F | 1 |
| 2 | AQ0015654_2 | Knob Ø25 H25 | F | 1 |
| 3 | AC0017710 | Insert Ø55 M36x1 H22.5 | F | 1 |
| 4 | AQ0015654_4 | Smal Pump | - | 1 |
| 5 | AQ0015654_5 | Ø47.5 pump block | - | 1 |
| 6 | AQ0015654_6 | Tube Ø6 | - | 1 |
| 7 | AQ0015654_7 | Tank Ø45 | - | 1 |
| 8 | AQ0015654_8 | External tube Ø50 | F | 1 |
| 9 | AC0017709 | Cap Ø55 H10 | F | 1 |
| 10 | AQ0015654_10 | Wall plug | F | 1 |
| 11 | AQ0015654_11 | OR 37.77x2.62 NBR 70 SH | - | 1 |
| 12 | AQ0015654_12 | Screw M5 x 10 TSP croce UNI 7688 | - | 1 |
| 13 | AQ0015654_13 | Grubscrew M5x6 cone point | - | 1 |
| 14 | AQ0015654_14 | Washer Ø10 Ø5.3 UNI8842-A | - | 1 |
| 15 | AQ0015654_15 | M5 UNI 5588 stainless steel nut | - | 1 |
| 16 | AQ0015654_16 | Inox screw Ø4 L50 | - | 2 |
| 17 | AQ0015654_17 | Wall plate | - | 1 |
| 18 | AQ0015654_18 | Dowel fisher Ø8 L40 | - | 2 |







WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.

