

Collection

AQUA

Article

EUA412B1

Description

Plate and handles trimkit

Box Dimensions Weight 510x130x90 mm 5.4 kg

Finishes

● CC CHROME

 $\mathsf{O}_{\mathsf{PLATINUM}}^{\mathsf{PL}}$

BRUSHED NICKEL

ON NATURAL BRASS

NP MATT BLACK

CF BLACK CHROME

CS BRUSHED BLACK CHROME

IS BRUSHED PALE GOLD

RS ROSE GOLD

SR BRUSHED ROSE GOLD

OO GOLD


OS BRUSHED GOLD

ORR ANTIQUE COPPER

● MB MODERN BRONZE



Dimensions



Cartridge

Threaded fitting

Aerator

Flow Rate (+/-10%)

1 BAR I\m

2 BAR I\m

3 BAR I\m

Production

Main body is a machined from a solid pieces

Material

BRASS


According to CuZn39Pb3 (CW614N)

Max Lead content: 2.5%

७ f 𝒫



Parts list				
ITEMS	CODE	DESCRIPTION	FIN	QTÀ
1	CP2282CC-1	Preassembled bold handle	-	4
1.1	AC0015356	Screw Ø16 M4 H10	F	1
1.2	AQ0006921	Grubscrew M4x8 flat point	-	1
1.3	CC0002282	Wheel Ø62 H15 8x20 knurled	F	1
1.4	AS0012751	Broach for thermostatic handle	G	1
1.5	AC0010828	Handle Ø45 Ø15.7 M H9.6	F	1
1.6	AQ0001082	Grubscrew M4x4 cone point	-	2
2	AQ0002160	Screw M4x10	-	5
3	CP2283CC-1	Preassembled bold handle	F	1
3.1	AC0015356	Screw Ø16 M4 H10	F	1
3.2	AQ0006921	Grubscrew M4x8 flat point	-	1
3.3	CC0002283	Handle 18 L94 H15 8x20	F	1
3.4	AS0012751	Broach for thermostatic handle	G	1
3.5	AC0010828	Handle Ø45 Ø15.7 M H9.6	F	1
3.6	AQ0001082	Grubscrew M4x4 cone point	-	2
4	CP7043CCXN_1	Thermo regulaton handle body	-	1
4.1	AC0007043	Handle thermoregulation	F	1
4.2	AQ0008086	Spring for thermo plug Ø6 F0.5 L8.5	G	1
4.3	AS0007045	Pin for thermo lever button Ø6 H11.6	G	1
4.4	AC0011424	Plug for thermo handle H27	F	1
5	AS0013025	Centering bush Ø40.95 Ø41.95 H25	-	1
6	AC0011535	Support Ø45 H25.5 M36x1.5	F	1
7	AC0007042	Capacity handle body	F	4
8	AS0013024	Centering bush Ø40.95 Ø40.35 H18.5	-	4
9	AC0011537	Flange for regulation tap Ø45 H56.7	F	4
10	ACGC11865	Plate 500x108x3 hole Ø45 °C	F	1
11	AQ0013943	Rubber packing Ø60xØ45 H2	-	5
12	AQ0013955	Rubber packing double-sided tape 495x105x2	<u> </u>	1







WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.



□ f P