

Collection

AQUA

Article

EUA711BT

Description

Plate and handles trimkit.

Box Dimensions Weight 420x180x90 mm 3.5 kg

Finishes

● CC CHROME

PL PLATINUM

SS BRUSHED NICKEL

ON NATURAL BRASS

RS ROSE GOLD

OSR BRUSHED ROSE GOLD

ONP MATT BLACK

OO GOLD

OCF BLACK CHROME

OS BRUSHED GOLD


OCS BRUSHED BLACK CHROME

ORR ANTIQUE COPPER

MB MODERN BRONZE

OIS BRUSHED PALE GOLD





Cartridge

Threaded fitting

Aerator

Flow Rate (+/-10%)

1 BAR I\m

2 BAR I\m

3 BAR I\m

Production

Material

BRASS

According to CuZn39Pb3 (CW614N)

Max Lead content: 2.5%

Main body is a machined from a solid pieces










| Parts list | | | | |
|------------|--------------|--|-----|-----|
| ITEMS | CODE | DESCRIPTION | FIN | QTÀ |
| 1 | CP2170CC-1 | Preassembled handle | - | 2 |
| 1.1 | CC0002170 | Body handle Belmondo | F | 1 |
| 1.2 | AQ0010306 | Stop ring | - | 1 |
| 1.3 | AS0010259 | Adapter for thermo handle | G | 1 |
| 1.4 | AQ0010835 | OR 4x1.5 NBR 70 SH | - | 1 |
| 1.5 | AQ0001082 | Grubscrew M4x4 cone point | - | 2 |
| 1.6 | AC0010828 | Handle Ø45 Ø15.7 M H9.6 | F | 1 |
| 2 | AQ0002160 | Screw M4x10 | - | 1 |
| 3 | CP7043CCXN_1 | Thermo regulaton handle body | - | 1 |
| 3.1 | AC0007043 | Handle thermoregulation | F | 1 |
| 3.2 | AQ0008086 | Spring for thermo plug Ø6 F0.5 L8.5 | G | 1 |
| 3.3 | AC0011424 | Plug for thermo handle H27 | F | 1 |
| 3.4 | AS0007045 | Pin for thermo lever button Ø6 H11.6 | G | 1 |
| 4 | AS0013025 | Centering bush Ø40.95 Ø41.95 H25 | - | 1 |
| 5 | AC0011535 | Support Ø45 H25.5 M36x1.5 | F | 1 |
| 6 | AQ0009809 | Inox screw M4x30 | - | 1 |
| 7 | AC0007042 | Capacity handle body | F | 1 |
| 8 | AS0013024 | Centering bush Ø40.95 Ø40.35 H18.5 | - | 1 |
| 9 | AC0013023 | Ring Ø45 H23.6 M42x1.5 | F | 1 |
| 10 | AS0009598 | Extension 8x20 H34.8 | G | 1 |
| 11 | AS0013022 | Reduction M24x1 M42x1.5 H6 | G | 1 |
| 12 | ACGC13121_3 | Plate 310x108x3 int 115 stamped 3 ways | F | 1 |
| 13 | AQ0013943 | Rubber packing Ø60xØ45 H2 | - | 2 |
| 14 | AQ0014224 | Rubber packing double-sided tape 265x105x2 | - | 1 |
| | | | | |







WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.



□ f P