

Collection

IB BOX

Article

INC314

Description

Built-in wall mixer three ways

OS BRUSHED GOLD

ORR ANTIQUE COPPER

Box Dimensions

230x90x85 mm

1.3 kg

Finishes

OCC OPL OSS BRUSHED NATURAL BRASS

OCF BLACK CHROME

OCS BRUSHED OLD BRUSHED OSS BRUSHED OLD CHROME

OCF BLACK OCHROME

OCS BRUSHED OLD BRUSHED OSS BRUSHED OLD CHROME

OCHROME

OCS BRUSHED OLD OSS BRUSHED OLD CHROME


OCHROME

OBB ANTIQUE BRONZE



Dimensions

OOO



Cartridge

Threaded fitting

Treaded fitting G1/2" female

Aerator

Flow Rate (+/-10%)

1 BAR 8.3 l\m 2 BAR 11.7 l\m 3 BAR 14.3 l\m

Production

Material

Main body is a single hot stamped pieces

BRASS

According to CuZn42 (CW510L)
Max Lead content:0.2%




T. +39 030 802101 F. +39 030 803097 info@weareib.it P.IVA 01785230986 capitale sociale €420.000,00 i.v. www.weareib.it







Parts list			
ELEM.	CODE	DESCRIPTION	QTÀ
1	CP314XX-21	Preassembled recessed body three ways	1
1.1	AQ0010626	Inox screw Ø4 L50	8
1.2	AQ0015712	Upper box	1
1.3	AQ0015707	Screw DIN 7984 m5x12 TCEI Ø8.5	14
1.4	AQ0017083	Square cap 48x48 H6 PA66-30	2
1.5	AQ0017090	Silicone Gasket Ø40.3 Ø37.3 H2	2
1.6	AS0010770	Plug M10x1 H12	2
1.7	AQ0001330	OR 6.75x1.78 NBR 70 SH	2
1.8	AQ0009338	OR 16x2 N BR 70 SH	3
1.9	AQ0014537	Red thread's protecting cap Ø19	1
1.10	AQ0015715	Plug G1/2M H8.35	3
1.11	CT0002501	Recessed body 3 ways	1
1.12	AQ0015722	Lower box	1
1.13	AQ0014538	Blu thread's protecting cap Ø19	1





☑ f *P*



WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.





F f P