

Collection

К3

Article

K3310

Description


Exposed parts for manual wall mixer with two ways





Dimensions





Cartridge Ø35 ceramic cartridge	Threaded fitting		
Aerator	Flow Rate (+/-10%)		
	1 BAR 9.2 l\min	2 BAR 12.5 l\min	3 BAR 16 l\min

Material

Main body is a machined from a solid pieces

BRASS According to CuZn39Pb3 (CW614N) Max Lead content: 2.5%




Production

P.IVA 01785230986 capitale sociale €420.000,00 i.v. www.ibrubinetti.it





	Parts list				
ELEM.	CODE	DESCRIPTION	QTÀ		
1	CPDEV2VCCXN_1	90 ° built-in 2-way diverter 48x48 z8x20	1		
1.1	AQ0015686	Rubber Ø32 H4	1		
1.2	AQ0008026	OR 33.05x1.78 NBR 70 SH	1		
1.3	AS0013047	Insert 47x47x32	1		
1.4	AQ0012206	Inox screw M3x10	1		
1.5	AQ0017450	Cartridge dev. 2 outputs 90°	1		
1.6	AQ0004610	OR 12.42x1.78 NBR 70 SH	1		
1.7	AS0013048	Rod Ø17.9 H42.4	1		
1.8	AQ0010597	OR 28.3x1.78 NBR 70 SH	1		
1.9	AS0013050	Junction M32x1 M22x1 H23	1		
1.10	AQ0015748	Seeger ring Ø14 H1	1		
2	AC0013054	Ring Ø26 M22x1 F H33	1		
3	AC0007092	Handle knob M8 H19	1		
4	AC0011372	Diverter's knob Ø26 H20	1		
5	AQ0001082	Grub screw M4x4 cone point	1		
6	AQ0006650	Plug cover Ø7	2		
7	CPIN206CC-19	Mixer 47x47 x recessed	1		
7.1	AQ0015684	Gasket Ø31 H3.5 Ø7 Ø7.5	1		
7.2	AQ0015357	Grubscrew M3x10 flat point	1		
7.3	AS0013040	Insert 47x47 H11 M37x1.5	1		
7.4	AQ0004095	Ceramic cartridge Ø35 9x9 (K35A)	1		
7.5	AC0010445	Ring for recessed shower mixer	1		
7.6	AQ0001040	Cartridge ring nut M37x1.5 H9	1		
8	AQ0003630	Cartridge ring nut cover M37x1.5	1		
9	AQ0009729	Grubscrew M5x5 cone point	1		
10	AQ0013978	Handle Ø45 H26.5 L120.5	1		
11	AQ0012239	Rubber packing double-sided tape 145x75x8x1	1		
12	AC0013101	Plate 175x85 x2 312-310	1		



IB RUBINETTERIE s.p.a via dei Pianotti 3/5 25068 Sarezzo (BS) - Italy - T. +39 030 802101 F. +39 030 803097 info@ibrubinetterie.it **P.IVA** 01785230986 capitale sociale €420.000,00 i.v. www.ibrubinetti.it





WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.

P.IVA 01785230986 capitale sociale €420.000,00 i.v. www.ibrubinetti.it

