

Collection

ELIO

Article

E0206_2

Description

Wall monted washbasin mixer.

Built-in body to be purchased separately INC206.

Box Dimensions 1.8 kg 340x180x70 mm

Finishes













ON NATURAL BRASS





NP MATT BLACK



CF BLACK CHROME




OCS
BRUSHED
BLACK
CHROME











Cartridge Threaded fitting G1/2" male Ø35 ceramic cartridge Aerator Flow Rate (+/-10%) 1 BAR 2 BAR 3 BAR M16.5x1 3 I\m 3.8 l\m 3.8 I\m

Production

Main body is a single casted piece

Material

BRASS

According to CuZn35Pb2Al-B (CB752S)


Max Lead content: 1.36%



७ f 𝒫



Parts list			
ELEM.	CODE	DESCRIPTION	QTÀ
1	AC0016836	Plate 220x85x2	1
2	AQ0014142	Rubber packing double-sided tape	1
		200x75x8x1	
3	AC0016802	Handle 42x42 H21.5 coral	1
4	AQ0001081	Grubscrew M4x6 flat point	1
5	AQ0012203	Plug	1
6	AS0016807	Ring Ø40 M30x1.5 F.	1
7	AC0016809	Square ring 42x42 H44.2	1
8	CP300CCX	Pre assemble mixer 47x47 x recessed	1
	N_19		
8.1	AS0016806	Cartridge ring nut	1
8.2	AQ0013271	Ceramic cartiridge KRJ 35A 9x9	1
8.3	AS0016810	Ring for recessed shower mixer	1
8.4	AS0013040	Insert 47x47 H11 M37x1.5	1
8.5	AQ0015357	Grubscrew M3x10 flat point	1
8.6	AQ0015684	Gasket Ø31 H3.5 Ø7 Ø7.5	1
9	CPEO206C	Preassembled spout	1
	C-1		
9.1	AQ0014147	Perlator PCA cachè laminar 1 GPM	1
		(44.3358.010)	
9.2	AC0016837	Spout 60° 18x18 L225.4	1
9.3	AQ0010857	OR 12.5x2 NBR 70 SH	1
9.4	AS0016999	Spout insert Ø30 M20x1M M16x1M H29	1
9.5	AQ0001400	OR 20.35x1.78 NBR 70 SH	2
10	AS0016995	Insert Ø30 G1/2" M H32	1
11	AQ0004630	OR 17.16x1.78 NBR 70 SH	1







WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.



□ f P