

Collection

# **AQUA**

Article

### **EUA2120H**

Description

OOO

Dimensions

### Plate and handles trimkit

OS BRUSHED GOLD


**Box Dimensions** Weight 420x180x90 mm 2.8 kg Finishes ● CC CHROME  $\mathsf{O}_{\mathsf{PLATINUM}}^{\mathsf{PL}}$ SS BRUSHED NICKEL ON NATURAL BRASS ONP MATT BLACK OCF BLACK CHROME OCS
BRUSHED
BLACK
CHROME OII PALE GOLD BRUSHED PALE GOLD ORS ROSE GOLD SR BRUSHED ROSE GOLD

> MB MODERN BRONZE





ORR ANTIQUE COPPER



Cartridge Threaded fitting -

1 BAR 2 BAR 3 BAR I\m I\m I\m

MAX 74 mm [2.91 in] MIN 64 mm [.51 in]

Production

Aerator

Main body is a machined from a solid pieces

Material

BRASS

Flow Rate (+/-10%)


According to CuZn39Pb3 (CW614N)

Max Lead content: 2.5%





Parts list				
ITEMS	CODE	DESCRIPTION	FIN	QTÀ
1	CP18202CC-1	Lever	-	3
1.1	AC0018202	Handle 20 L65 H5	F	1
1.2	AQ0012230	Stainless stell pin Ø2.5x6	-	1
1.3	AC0018204	Handle Ø45 Ø20 H40	F	1
1.4	AQ0001082	Grubscrew M4x4 cone point	-	2
1.5	AQ0010985	Inox screw M4x12	-	1
2	AQ0002160	Screw M4x10	-	3
3	CP7043CCXN_1	Thermo regulaton handle body	-	1
3.1	AC0007043	Handle thermoregulation	F	1
3.2	AQ0008086	Spring for thermo plug Ø6 F0.5 L8.5	G	1
3.3	AC0011424	Plug for thermo handle H27	F	1
3.4	AS0007045	Pin for thermo lever button Ø6 H11.6	G	1
4	AS0013025	Centering bush Ø40.95 Ø41.95 H25	-	1
5	AC0011535	Support Ø45 H25.5 M36x1.5	F	1
6	AC0007042	Capacity handle body	F	2
7	AS0013024	Centering bush Ø40.95 Ø40.35 H18.5	-	2
8	AC0011537	Flange for regulation tap Ø45 H56.7	F	2
9	ACGC11984	Plate 360x108x3 3 hole °C	F	1
10	AQ0013943	Rubber packing Ø60xØ45 H2	-	3
11	AQ0014223	Rubber packing double-sided tape 345x105x2	-	1







#### WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

# The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

### Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.



**□** f P