

Collection

HERMES

Article

HR398

Description

Five holes wall mounted bath filler with shower kit

Box Dimensions Weight 3.6 kg 370x270x80 mm

Finishes

● CC CHROME

PL PLATINUM

SS BRUSHED NICKEL

 \bigcirc ON NATURAL BRASS OBO MATT WHITE

ONP MATT BLACK

OCS
BRUSHED
BLACK
CHROME

OIS BRUSHED PALE GOLD

RS ROSE GOLD

OSR BRUSHED ROSE GOLD

OOO


OCF BLACK CHROME

OS BRUSHED GOLD

RR
ANTIQUE
COPPER

BB ANTIQUE BRONZE





Cartridge Threaded fitting IB G1/2" ceramics headworks Treaded fitting G1/2" male Flow Rate (+/-10%) Aerator 3 BAR 1 BAR 2 BAR 9 I\m 13 l\m 15 l\m

Production

Main body is a single casted piece

Material

BRASS

According to CuZn35Pb2Al-B (CB752S) Max Lead content:1.36%

IB RUBINETTERIE s.p.a via dei Pianotti 3/5 25068 Sarezzo (BS) - Italy - T. +39 030 802101 F. +39 030 803097 info@weareib.it

P.IVA 01785230986 capitale sociale €420.000,00 i.v.


www.weareib.it







Elenco parti			
ELEM.	CODICE	NUMERO DI MAGAZZINO	QTÀ
1	AQ0013551	Handle's plug hot	1
2	AQ0009069	Cover Ø20 PLS	3
3	AQ0010985	Inox screw M4x12	3
4	AQ0010229	Inox washer Ø4	3
5	AC0003095	Lever Ø31.5 M8x1 H42	3
6	AC0003431	Pin for handle	12
7	AC0007131	Bell Ø58.5 W26x19 H44.5	3
8	AQ0002135	Ceramic headwork 90° left	1
9	CC0002005	Built-in stopcocks G1/2"	2
10	AQ0010978	OR 17.46x2.62 NBR 70 SH	2
11	AC0012298	Spout's bell Ø58.5 Ø18.5 H44.5	1
12	AC0011996	Spout-out M18x1 M16.5x1 Ø18 L244	1
13	AQ0014729	Aerator cachè M16.5x1 neostrahl (01.5175.000)	1
14	AC0012299	Insert for spout-out G3/4" M18x1 H18	1
15	AQ0010972	OR 23x2 NBR 70 SH	1
16	AQ0013552	Handle's plug cold	1
17	AQ0003930	Ceramic headwork 90° right	1
18	AQ0013323	Neutral handle's plug	1
19	AS0009995	Bush for headwork W26 x 19 W22 x 19	1
20	AQ0010279	Diverter 2 in - 2 out complete short	1
21	AQ0013638	Anair round support	1
22	AQ0003120	Hose G1/2" F G1/2" cone L150	1
23	AQ0008031	White Old America shower	1







WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.





F f P