

Collection

K3


Article

K3209

Description

Monohole wall mounted washbasin mixer

Box Dimensions Weight 425x188x98 mm 3.5 kg Finishes CC OCF MB SS OCS •00 BRUSHED BLACK CHROME BLACK CHROME MODERN BRONZE BRUSHED NICKEL CHROME GOLD \circ os \bigcirc BO NP) II ORR BRUSHED PALE GOLD BRUSHED GOLD ANTIQUE COPPER








OSR BRUSHED ROSE GOLD

OPL PLATINUM



Cartridge Threaded fitting Threaded fitting G1/2" male Ø35 ceramic cartridge Aerator Flow Rate (+/-10%) M24x1 1 BAR 2 BAR 3 BAR 3.9 I\min 5 I\min 5 I\min

Production

Main body is a single casted pieces

Material

BRASS


According to CuZn35Pb2AL-B (CB752S)

Max Lead content: 1.36%





		Parts list		
ITEMS	CODE	DESCRIPTION	FIN	QTÀ
1	AC0011854-TI	Plate 120x110x3		1
2	AQ0014023	Rubber packing double-sided tape 110x100x5x1	-	1
3	AQ0013064	Inox screw M5x50	-	2
4	AQ0006998	OR 12x2 NBR 70 SH	-	4
5	AS0011313	Connection for faucet body L46	G	2
6	AQ0009818	OR 14x1.78 NBR 70 SH	-	2
7	AQ0014020	Handle L215 H15.2 4°		1
8	AQ0001100	Grubscrew M5x5 flat point	-	1
9	CPK3206CC-1	Preassembled recessed mixer KH-03		1
9.1	AC0011877	Fixing nut Ø39.9 M39x1.5 H19	F	1
9.2	AQ0014791	Ceramic cartridge Ø35 open (0135AFOAC-010.00)	-	1
9.3	AQ0014019	Mixer body 232.5x85x42		1
9.4	AQ0013478	Perlator coin slot M24x1 5l/m (45.2051.000)	-	1
9.5	AQ0014670	Grubscrew M5x6 cone point	-	2
9.6	AQ0014044	Protection Ø30 Ø35 H70	-	1
9.7	AQ0014106	Label MIN MAX	-	1
9.8	AS0012986	Plug G3/8" H11	G	2
9.9	AQ0009818	OR 14x1.78 NBR 70 SH	-	2
9.10	AN0011309	Recessed body 40x40x55	N	1
9.11	AQ0001390	OR 14x2 NBR 70 SH	-	2
9.12	AC0011892	Shower connection piece G1/2" M19x1 H19	F	2
10	AQ0014112	Threaded protection 25x21x18	-	2
11	AQ0015834	Inox screw M8x60 DIN933	-	4
12	AQ0014021	Fixing plate 70x80x5	-	1
13	AQ0009546	Inox rawlplug M8 Ø12 L50	-	4







WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.

