

Collection

KUSASI

Article

KU350

Description

Wall mounted shower mixer with shower kit.

Box Dimensions Weight 1.7 kg 220x200x150 mm

Finishes

● CC CHROME

OCS BRUSHED BLACK CHROME

OPL OSS

ON NATURAL BRASS

ONP MATT BLACK

OII PALE GOLD OIS ORS ROSE GOLD

OSR BRUSHED ROSE GOLD

OOO


OCF BLACK CHROME

OS BRUSHED GOLD

ORR ANTIQUE COPPER

OBB ANTIQUE BRONZE





Cartridge

Ø35 ceramic cartridge

Threaded fitting

Flex chromalux snapon G1/2" F L1500 Silver

Aerator

Flow Rate (+/-10%)

1 BAR 10 l\m 2 BAR 15 l\m 3 BAR 18 I\m

Production

Main body is a machined from a solid pieces

Material

BRASS

According to CuZn42 (CW510L) Max Lead content: 0.2%

IB RUBINETTERIE s.p.a via dei Pianotti 3/5 25068 Sarezzo (BS) - Italy - T. +39 030 802101 F. +39 030 803097 info@weareib.it

P.IVA 01785230986 capitale sociale €420.000,00 i.v.


www.weareib.it







Parts list				
ITEMS	CODE	DESCRIPTION	FIN	QTÀ
1	AQ0006650	Plug cover Ø7	F	1
2	CPKKU350CCX01	Preassembled wall-mounted shower mixer	F	1
2.1	AQ0009541	Grubscrew M5x4 flat point	-	1
2.2	AQ0009475	Kusasi zamak lever Ø45 L125	F	1
2.3	AC0010066	Nut cover M37x1,5 Ø40.3 H13	F	1
2.4	AQ0001040	Cartridge ring nut M37x1.5 H9	G	1
2.5	AQ0004075	Ceramic cartridge Ø35 9x9 with distributor	-	1
2.6	CC0001550	Mixer body shower		1
2.7	AC0000710	Fixing nut G3/4" H14 CH30	F	2
2.8	AQ0004600	OR 15.6x1.78 NBR 70 SH	-	2
2.9	AN0001931	Threaded connection piece M18x1.5 L H15.8	N	2
3	AQ0009391	Rosette kit	F	2
4	AQ0018056	Flex snapon G1/2" F L150cm Silver	F	1
5	AQ0002580	Support for hand shower		1
6	AQ0013557	Onair hand shower	F	1







WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.



□ f P